

## Module 2 overview

### *lecture*

1. Introduction to the module
2. Rational protein design
3. Fluorescence and sensors

### *lab*

1. Start-up protein eng.
2. Site-directed mutagenesis
3. DNA amplification

### **SPRING BREAK**

4. Protein expression
5. Purification and protein analysis
6. Binding & affinity measurements
7. High throughput engineering


4. Prepare expression system
5. Induce protein
6. Characterize expression
7. Assess protein function

## Lecture 2: Rational protein design

- I. “Blob-level” protein design
  - A. Engineered fusion proteins
  - B. Knowledge required for blob-level engineering
  
- II. Protein engineering at high resolution
  - A. Modifying existing proteins
  - B. *De novo* protein engineering
  - C. Knowledge needed for high-resolution design
  - D. Computational modeling

## Rational protein design:

Knowledge-based, deterministic engineering of proteins with novel characteristics




## “Irrational” high throughput protein engineering:

Selection for desired properties from libraries of random variants


## “Blob-level” protein design

- Basic idea is to combine protein units of defined function (domains) to engineer a fusion protein with novel functionality
- Examples include sensors, signal transduction components, transcription factors, therapeutics, *etc.*



note: “blob-level” design is not a technical term...


GFP-based approaches extend to other sensors:



Ting *et al.* (2001) *Proc. Natl. Acad. Sci. USA* 98: 15003-8



Can you think of other sensors one could construct based on this design strategy?

An early “synthetic biology” project—signal transduction triggered by a small molecule dimerizing agent:




Spencer *et al.* (1993) *Science* 262: 1019-24


## Engineered antibodies as therapeutic agents:



### single-chain "nanobodies"







### bispecific antibodies



What knowledge is required for “blob-level” protein engineering?:

- rough geometry of protein domains (low resolution structure)
- secondary structure, if insertions or disruptions are planned
- desired linker properties (length, flexibility, hydrophilicity)

Example: CaM-based calcium sensors





What we've called "blob-level" design is useful for combining functionalities associated with individual protein domains—but what if we want to create new functionalities or make subtle manipulations?



"Which brings us to my next point."



## Rational protein engineering “at high resolution”

- Alter/tune properties of proteins by making structurally or computationally informed changes at the amino acid level
- In some cases, produce entirely new proteins based on predictions of structure and function from amino acid sequence
- Can be “rational” when combined with structural information and/or computational modeling approaches
- Can be “irrational” when combined with high throughput screening and random mutagenesis (*to be discussed later in the module*)


### **This is what we are doing in the lab for this module!**

1. We looked at the CaM & GFP structures and made predictions about which point mutations would shift the calcium affinity of pericam.
2. We are now going to produce the mutant genes and proteins, and assay purified molecules for desired properties.
3. If we had more time, we might then go on and make a new round of predictions/mutant proteins, to continue the process of tuning the calcium affinity.



## Example: improving antibody affinity for targets



Rational design can also be used to stabilize proteins—general route to improvement of function/utility



<http://www.youtube.com/watch?v=kK8qkejFwCc>



Perry & Wetzel (1984) *Science* 226: 555-7

The “holy grail” of rational engineering is to design entire proteins *de novo* to fold into a defined shape (and ideally carry out a function)

Simplest task is to design peptides with defined 2° structure

Amino Acid	$f_{\alpha}^b$	$P_{\alpha}^c$	$f_{\alpha i}^b$	$P_{\alpha i}^c$	$f_{\beta}^b$	$P_{\beta}^c$	$f_e^b$	$P_e^c$
Ala	0.522	1.45	0.272	1.59	0.167	0.97	0.311	0.66
Arg	0.282	0.79	0.115	0.67	0.154	0.90	0.564	1.20
Asn	0.263	0.73	0.090	0.53	0.113	0.65	0.624	1.33
Asp	0.351	0.98	0.090	0.53	0.137	0.80	0.514	1.09
Cys	0.278	0.77	0.056	0.33	0.222	1.30	0.500	1.07
⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮

Related task is to predict 2° structure from sequence

```

MADQLTEEQIAEFKEAFSLFDKDGDTITTKELGTVMRSLGQNPTEAELQDMINEVDADG
helix <-----> <-----> <----->
sheet EEEEEEE EEEEEEEEE EEEE
turns T TT T TT T TT TT T

```

```

NGTIDFPEFLTMMARKMKDTDSEEEIREAFRVFDKDGNGYISAAELRHVMTNLGEKLTDE
helix <-----> <----->
sheet EEEEEEE EEEEEEEEE
turns TT T TT T TT T TT



```

```

EVDIEMIREADIDGDGQVNYEEFVQMMTAK
helix -----> <----->
sheet EEEEEEE
turns T T

```

*De novo* design can be extended to 3° and 4° structure. Example is design of a functional enzyme from so-called coil-coil peptides:




CASP7 protein structure prediction evaluation data

http://www.predictioncenter.org/casp/casp7/public/cgi-bin/results.cgi

Google Massachussetts Instit... MIT WebMail Vera: Databases & E... Harvard Libraries PubCrawler Results f... The New York Times...

CASP7 protein struc...



















































# 7<sup>th</sup> Community Wide Experiment on the Critical Assessment of Techniques for Protein Structure Prediction

[Results Home](#) [Groups](#) [Table Browser](#) [Refinement Results](#) [Quality Assessment Results](#)

### 3D structure evaluation

First Model [ALL Models](#) | Category filter: ALL [TBM](#) [FM](#) | Sort targets by: name, [target size](#) | [Help](#)

<b>T0283 (TBM)</b> TABLES (1-97)		<b>T0284 (TBM)</b> TABLES (4-253)		<b>T0285 (TBM)</b> TABLES (7-105)		<b>T0286 (TBM)</b> TABLES (3-204)	
  		  		  		  	
<b>T0287 (FM)</b> TABLES (21-181)		<b>T0288 (TBM)</b> TABLES (1-26, 29-88)		<b>T0289 (TBM)</b> TABLES (4-310)		<b>T0289_D1 (TBM)</b> TABLES (4-223, 298-310)	
  		  		  		  	
<b>T0289_D2 (TBM)</b> TABLES (224-297)		<b>T0290 (TBM)</b> TABLES (1-173)		<b>T0291 (TBM)</b> TABLES (1-6, 15-176, 193-299, 305-310)		<b>T0292 (TBM)</b> TABLES (1-43, 49-74, 79-129, 137-164, 176-277)	
  		  		  		  	

Stopped

What knowledge is required for “high-resolution” protein engineering?:

- determination of 3D structure, for mutagenesis-based engineering
- knowledge of protein folding rules for *de novo* engineering
- computational modeling techniques usually required

Computational methods important for protein engineering:

- modeling & visualization
- energy/thermodynamic calculations
- searching conformation and sequence spaces
- comparison with known protein structures/sequences

The basis of more automated analysis of structural perturbations than our own “inspect and try” approach involves use of an energy function to evaluate plausibility of candidate structures:

$$E_{tot} = E_{bond} + E_{angl} + E_{dihe} + E_{impr} + E_{VDW} + E_{elec} + E_{Hbond} + \dots$$

This may be evaluated using a force field (*e.g.* CHARMM19) and atomic coordinates available from simulation or modified PDB file.



<http://www.youtube.com/watch?v=zWq4UG2IzAE>