

20.109 Module 2


Lecture #2: Therapeutic target selection

Instructor: Prof. Jacquin C. Niles

Department of Biological Engineering


Email: jcniles@mit.edu

18 October 2022



How are drugs discovered – now?


- A. Basic science research and target identification
- B. Target pharmacology and biomarker development
- C. Lead identification
- D. Lead optimization and candidate selection
 - Improving pharmacologic, metabolic, safety profiles of lead toward use in humans
- E. Clinical research & development
 - Clinical trials to establish efficacy and safety
- F. Regulatory review (FDA approval)
- G. Post-marketing
 - Surveillance (adverse effects)
 - Repurposing
 - Off-label use
- H. Medical landscape



References:

- 1) Wagner et al; Nature Reviews Drug Discovery; 2018;
- 2) <https://ncats.nih.gov/translation/maps>
- 3) 4D Map (interactive): <https://4dmap.ncats.nih.gov/#/>

New drug discovery is expensive ... with no guarantee of success!



Between 2009 –2018, the median cost of developing a new drug was \$985 million, while the average total was \$1.3 billion!

Learning Objectives

- A. Defining the therapeutic intervention:
 - A. What is intended goal/ outcome of the intervention?


- B. Precisely defining the therapeutic target(s):
 - A. What is the biological process(es) to be manipulated?
 - B. Choosing an appropriate operational scale
 - A. Molecular v. cellular v. tissue/organ v. whole (model) organism level

- C. Validating the therapeutic potential of selected target(s):
 - A. What evidence do you need to establish the suitability of a therapeutic target?

Case Study: Defining potential therapeutic interventions for malaria

Disease background: Malaria is a major threat to global human health

- Estimated **241 million cases in 2020**
 - 85% in African Region
 - 10% South-East Asia Region
- **627,000 deaths in 2020** (+69k deaths over 2019)
 - 89% in African Region
 - 5% in South-East Asia Region
 - Children < 5 years old account for the majority of deaths
- Human malaria caused by 5 protozoan (eukaryotic) parasite species
 - *Plasmodium falciparum*
 - *Plasmodium vivax*
 - *Plasmodium knowlesi*
 - *Plasmodium malariae*
 - *Plasmodium ovale*




1. High-level ideas on your intervention strategy?

2. Who is at risk , and how does that impact your intervention conceptualization?

Disease transmission

P. vivax – a dormant form (hypnozoite) persists in the liver

All malaria symptoms associated with red blood cell infection



3. High-level ideas on your intervention strategy?




Mosquito Nets:

Inexpensive, but effective
intervention




Transmission bottlenecks: Parasite life cycle by the numbers



4. High-level ideas on potential intervention strategies?

MMV Target Product & Candidate Profiles



Target Candidate Profile (TCP)

- Describes molecules that act on a biological process

Target Product Profile (TPP)

- Outlines the desired 'profile' or characteristics of a product aimed at a particular disease or diseases
- Outlines intended use, target populations and other desired attributes of products

Summary

- A. Drug discovery is expensive
 - A. Need to carefully choose intervention strategy and target

- B. Precisely define the desired outcomes of treatment / intervention
 - A. Target candidate profiles (TCPs)
 - B. Target product profiles (TPP)

- C. Translating the desired outcome from macroscopic observables into targetable molecular processes to guide therapeutics development