

# M2D4: Review small molecule microarray (SMM) technology and data analysis

- 1. Comm Lab
- 2. Quiz
- 3. Prelab
- 4. Walk through SMM




# Overview of M2: drug discovery

Research goal: Test small molecules for binding to the *Plasmodium falciparum* FKBP35 protein using a functional assay.



# Why are we discussing this approach?


- High throughput assays are useful in screening potential therapeutic targets
  - Allows unbiased exploration of potential therapeutics
  - Allows examination of targets with limited information
- Small molecules
  - Mw < 500 Da
  - Natural or synthetic
  - Frequently comprised of Carbon/Nitrogen/Oxygen
- Our small molecule library is based on FK506 (known binder)
  - Could also use the SMM to screen a broad library of compounds to cast a wide net




# Small Molecule Microarray (SMM)









• Each slide contains ~12,000 spots



- ~4,200 small molecules / ligands (in duplicate = ~8,400)
- Fluorescein sentinel spots
- DMSO negative control spots

Koehler Lab 2014 - Small-molecule Microarrays from Koehler Lab on Vimeo.

#### Guide to the SMM slide

Each slide has several blocks

 Each block has sentinel spots which are landmarks

 Rest of dots are small molecules and controls

 Can overlay a computational map to identify the location of each small molecule Block Blue= DMSO Yellow= SM

Slide

Green= sentinel spots (fluorescein dye)

## SMM slide preparation

 Gamma-aminopropylsilane (GAPS) coated slide with polyethylene glycol (PEG) spacer

 PEG coupled to 1,6-diisocyanatohexane to generate isocyanate-functionalized slide


Isocyanate able to react with nucleophilic functional groups

Small molecule Isocyanate microarray for covalent capture Poly-ethylene glycol linker amine surface (e.g. GAPS)

# SMM workflow


#### **SMM Screen**

#### Data Acquisition




## How would we screen for ligands that bind PfFKBP35?

- Incubate the SMM slide with 3ml of our purified PfFKBP35
- Wash away unbound protein
- Incubate SMM slide with AlexaFlour 647 anti-His antibody
- Wash away excess antibody
- Store for scanning



# What do putative binders look like on the SMM slide?



## Workflow for SMM data analysis


1. Align spots using fluorescence on 532 nm channel (sentinel spots)

Quantify fluorescence on 635 nm channel

3. Identify 'hits' with improbably high fluorescence


1


4. Complete 'by eye' analysis of putative hits to manually remove false positives



#### Align SMM using sentinel spots

- Slides are printed in block patterns (16 rows x 16 columns)
- Each ligand spot is identifiable via intersecting lines between sentinels





#### Spots are represented by an array of numerical values

 Each pixel is represented by a number that indicates intensity of the signal

 Computational analysis used to define 'hits'

```
12 92 275 311 256 61
           8 173 625 818 823 856 815 831 568 136
       8 273 830 814 835 873 890 836 857 818 71 201
  7 175 780 8 5 877 941 936 920 973 921 842 819 114 125
 29 568 868 867 905 909 936 994 954 931 963 875 813 490
5 131 754 852 906 958 920 963 923 917 904 951 930 851 716
5 229 796 879 924 934 923 962 961 993 993 945 989 867 80 162
7 254 827 879 965 949 960 982 926 918 955 927 984 872 765 204
5 175 808 88 996 951 998 935 976 971 940 922 961 872 804 132
4 57 666 859 988 999 947 977 985 916 928 960 974 841 678
 11 406 839 897 915 330 946 993 914 911 977 200 830 359
      60 624 830 890 973 903 924 912 932 881 850 613
          92 602 873 856 882 913 887 885 842 589
              23 266 697 838 828 837 667 261 21
```


## Fluorescence is quantified to identify hits

• Foreground:

5M attached

• Background:

area inneadiatel




Signal-to-noise ratio (SNR) =  $\mu_{\text{foreground}}$  -  $\mu_{\text{background}}$ 

background

How do you identify hits from the SMM data?

First, consider bias that exists in the data set

- Across all slides
- Within each block
- Within each slide




Block

Then, identify hits with significantly higher fluorescence over background

Z Score

Lastly, manually confirm hits to eliminate false positives

#### Average Z-score calculated for all compounds





#### How do you determine a threshold Z-score?







## How do you validate hits manually?







# Compare chemical structures of identified compounds



# For Today

- Work through SMM procedure
- Evaluate chemical structures of small molecules that will be used in next lab's assay

\*\* If you would like to revise your JP slide and replace your homework, you can do so. Turn it in by 10pm tonight \*\*

#### For M2D5

- Draft an outline of the introduction for your Research Article
  - Use guidance on the Wiki section for Homework and the Research Article assignment

# Journal Article Presentation Days

Tues (11/1)

- Abby D
- Isabella
- Kam
- Uzuki
- Vin

Thurs (11/3)

- Abby L
- Bryan
- Carrie
- Ellie
- Savannah